

Omni Max Scanner



- Reads all US microchip frequencies
- Reads through non-conductive materials like plastic carriers
- 360° antenna scans from all edges
- Weighs less than 1 lb - easy to use and transport
- Provides audio confirmation of successful reading
- Powered by rechargeable lithium-ion battery
- Stores millions of microchip numbers with date/time stamp
- Lasts for thousands of readings per charge

Dimensions

- 10.47" x 5.83" x 1.06"
(26.6 x 14.8 x 2.7 cm)

Weight

- 15.52 ounces (440 grams)

Operating Temperature

- 3 °F to 131 °F (-5 °C to 55 °C)

Storage Temperature

- -4 °F to 149 °F (-20 °C to 65 °C)

Power Supply

- Rechargeable lithium-ion battery
- Lasts for thousands of readings per charge

Frequency

- Reads all US microchip frequencies:
125 kHz, 128 kHz and 134.2 kHz

Memory

- 2GB internal memory
- Stores millions of microchip numbers with date/time stamp

Interface

- USB (cable included)
- Optional Bluetooth wireless

Read Distance

- FDX-B up to 7.87" or 20 cm
- FDX-A/FECAVA up to 4.72" or 12 cm
- Avid encrypted up to 4.72" or 12 cm
- Trovan up to 1.97" or 5 cm

Housing

- White plastic
- Water resistant if USB cap is closed correctly

Accreditations

- ISO 11784 & 11785

For more information about Found Animals Registry products, please visit

www.found.org/products

Phone: 844-523-3872 Fax: 213-402-7799

PO Box 66370, Los Angeles, CA 90066